The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-24358

Stream : Ohio River

Applicant : Foster-Prickett Construction

Michael E. Prickett

5731 West Greenbriar Road Hanover, IN 47243-9191

Description : A new residential structure will be constructed along the west bank of Ohio River

to provide additional housing. Details of the project are contained in information and plans received at the Division of Water on May 29, 2007 and June 14, 2007.

Location : Approximately 1950' north of the confluence with Mill Creek

DOWNSTREAM: near Hanover, Hanover Township, Jefferson County

NW1/4, SE1/4, SW1/4, Section 18, T 3N, R 10E, Madison West, IN-KY Quadrangle

Quad Code: 3808564

UTM Coordinates: Downstream 4284460 North, 634240 East

UPSTREAM: Jefferson County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24367

Stream : Shadle Drain

Applicant : Panhandle Eastern Pipe Line Company

Ralph Oakley

8910 Purdue Road, Suite 300 Indianapolis, IN 46268-1192

Description : A 45' by 72' System 21 Articulating Grout Mat, consisting of woven polyester

cables pumped full of a sand cement mixture, over filter fabric will be used to cover an existing, exposed 22" diameter pipeline. Prior to placing the filter fabric and grout mat, the pipeline will be covered with a rock shield. The project will include the cutting and contouring of the project area to and acceptable slope. Details of the project are contained in information received electronically at the Division of Water on June 6, 2007 and in plans and information received at the

Division of Water on June 8, 2007 and June 13, 2007.

Location : Approximately 900' downstream of the County Road 600 West crossing

near Warren, Jackson Township, Wells County

SE14, NE14, SE14, Section 24, T 25N, R 10E, Montpelier Quadrangle

Quad Code: 4008553

UTM Coordinates: Downstream 4495861 North, 640825 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 1 06/21/2007 10:08 AM

Application # : FW-24368

Stream : Unnamed Tributary Big

Creek

Applicant : MSD of North Posey County

John D Wood

101 North Church Street Poseyville, IN 47633-9026

Description : A parking lot will be constructed along the north (right) bank of Unnamed

Tributary Big Creek to increase parking lot capacity. The 60' by 350' asphalt paved parking lot will consist of removal of the existing south curb and existing topsoil within the area of the new pavement, compacted base and new curb and pavement installed at approximately the same grade as the existing grass area. Topsoil removed will be distributed outside the 100-year floodplain and reseeded. The lowest point of the top of the new pavement will be at elevation 391' MSL. Details of the project are contained in information and plans received at the

Division of Water on June 6, 2007.

Location : Approximately 650' North of the north bank of Lick Creek running parallel to it for

approximately 350'

near Blairsville, Robinson Township, Posey County

SE1/4, NW1/4, Section 21, T 5S, R 12W, Wadesville Quadrangle

Quad Code: 3808717

UTM Coordinates: Downstream 4214350 North, 432879 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24370

Stream : Deweese Branch

Applicant : Marathon Pipe Line LLC

Richet M Clark

539 South Main Street Findley, OH 45840-3229

Description

Two 20' by 8' submar revetment mats will be placed on each stream bank to help control erosion at an existing pipeline. The mats will allow the stream bank to be returned to approximate pre construction contours. The mats will be placed "in the dry" so sand bags may be placed to serve as a temporary dam and will be removed upon completion of the project. To protect aquatic life, downstream flow rates will be maintained at all times during construction by using a pump situated upstream from the project area. Some excavation along the bank will occur during the placement of the mats. The excavation will be performed from equipment working from the top of bank. The excavated material will be temporarily stockpiled in upland areas. In addition, timber mats may be placed to allow equipment to cross the stream. The timber mats will be removed after construction. Details of the project are contained in information and plans received at the Division of Water on June 7, 2007.

Location

: Approximately 1100' downstream (southwest) of the County Road 300 West

creek crossing

near Cloverdale, Washington Township, Putnam County

SE1/4, SE1/4, SE1/4, Section 12, T 13N, R 5W, Reelsville Quadrangle

Quad Code: 3908658

UTM Coordinates: Downstream 4380510 North, 508231 East

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24376

Stream : Edwards Ditch

Applicant : Moore Holding Group, LLC

Gregory C. Moore P.O. Box 1023

Newburgh, IN 47629-1023

Description : As part of a new commercial development two new roads will be constructed to

connect the development to Libbert Road. Each road will cross the stream over twin concrete box culverts. Minor channel alignment and shaping will occur. Details of the project are contained in information and plans received at the

Division of Water on June 7, 2007.

Location : The project lies along Edwards (a.k.a Weinsheimer) Ditch, which is a tributary to

Pigeon Creek. The project is located on the northeast quadrant of the State Road

66 (Llotd Expressway)/ Libbert Rode intersection

DOWNSTREAM: near Newburgh, Ohio Township, Warrick County S½, SW¼, Section 22, T 6S, R 9W, Newburgh, IN-KY Quadrangle

Quad Code: 3708784

UTM Coordinates: Downstream 4203568 North, 463656 East

UPSTREAM:

UTM Coordinates: Upstream 4203356 North, 463352 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24377

Stream : Van Run

Applicant : Panhandle Eastern Pipe Line Company

Ralph Oakley

8910 Purdue Road, Suite 300 Indianapolis, IN 46268-1192

Description : A 64' x 51' Ecoflex Articulating Grout Mat, consisting of woven polyester cables

pumped full of a sand cement mixture, over filter fabric will be used to cover an existing, exposed 8" diameter pipeline. Prior to placing the filter fabric and grout mat, the pipeline will be covered with a rock shield. The project will include the cutting and contouring of the project area to and acceptable slope. Details of the project are contained in information received electronically at the Division of Water on June 18, 2007 and in plans and information received at the Division of

Water on

Location : From the intersection of CR1100S and S300E, go East on CR1100 for approx

150 yards. Follow Van Run North approx 450 yards to pipeline ROW; Project is located approx. 1.5 miles SE of Fairmount. Along the banks of Van Run for

approximately 51'

near Fairmount, Fairmount Township, Grant County

Section 34, T 23N, R 8E, Gas City Quadrangle

Quad Code: 4008545

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24382

Stream : Jackson Creek

Applicant : Indiana Department of Natural Resources

Division of Forestry

Phil Wagner

402 West Washignton Street, Room W296

Indianapolis, IN 46204

Description : Approximately 24.7 acres of silt will be dredged to a depth of 3' to 13'. The

dredging will be performed by a hydraulic dredge. The excavated material will be

pumped to a 6.4 acre retention area adjacent to the lake where it will be dewatered before being transported to an offsite disposal area. A temporary

earthen dike will be built to create the retention pond. The dike and the

dewatered spoils will be removed at the end of the project. Details of the project are contained in information and plans received at the Division of Water on June

19, 2007.

Location : At the northern end of Yellowood Lake and extending downstream approximately

2500'

DOWNSTREAM: near Belmont, Washington Township, Brown County

N½, Section 30, T 9N, R 2E, Belmont Quadrangle

Quad Code: 3908623

UTM Coordinates: Downstream 4338775 North, 556250 East

UPSTREAM:

UTM Coordinates: Upstream 4338708 North, 556278 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-20759

Lake : Sylvan Lake

Applicant : Arden Reust

330 Spring Beach Drive Rome City, IN 46784-9704

Description : A existing concrete seawall will be refaced with a layer of concrete across 65' of

the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on June 6, 2007.

Location : 330 Spring Beach Drive

near Rome City, Orange Township, Noble County

NE14, SE14, SE14, Section 9, T 35N, R 10E, Kendallville Quadrangle

Quad Code: 4108543

UTM Coordinates: Downstream 4595532 North, 636176 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20761

Lake : Winona Lake

Applicant : David Ryser

1902 Park Avenue

Winona Lake, IN 46590-1640

Description : An existing rip rap seawall will be refaced with a layer of glacial stone across 82'

of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on June 8, 2007.

Location : 1902 Park Avenue

near Winona Lake, Wayne Township, Kosciusko County NW¼, NW¼, NW¼, Section 22, T 32N, Warsaw Quadrangle

Quad Code: 4108527

UTM Coordinates: Downstream 4563766 North, 598690 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20762

Lake : Dewart Lake

Applicant : V Kay Schrock

61573 County Road 127 Goshen, IN 46528-9672

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the

applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on June 11, 2007.

Location : 200 EMS D 18 Lane

near Syracuse, Turkey Creek Township, Kosciusko County

SW1/4, SW1/4, SW1/4, Section 30, T 34N, R 7E, Leesburg Quadrangle

Quad Code: 4108537

UTM Coordinates: Downstream 4580079 North, 603132 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20763

Lake : Lake James

Applicant : Scott Patton

18505 Auburn Road

Huntertown, IN 46748-9761

Description : A new concrete seawall will be constructed across 50' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. In addition, a 1 foot wide layer of glacial stone will be placed at base of the new wall for toe protection. Details of the project are contained in information and plans

received at the Division of Water on June 8, 2007.

Location : 440 Lane 470A

near Huntertown, Jamestown Township, Steuben County

SE¼, NW¼, SW¼, Section 33, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4618807 North, 662722 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20764

Lake : Lake James

Applicant : Sarah Brandt

108 Twin Eagles Boulevard East Huntertown, IN 46748-9241

Description : A new concrete seawall will be constructed across 50' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. In addition, a 1 foot wide layer of glacial stone will be placed at base of the new wall for toe protection. Details of the project are contained in information and plans

received at the Division of Water on June 8, 2007.

Location : 420 Lane 470 A

near Nevada Mills, Jamestown Township, Steuben County

SE14, NW14, SW14, Section 33, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4618829 North, 662739 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20765

Lake : Lake James

Applicant : Doran Wilson

11214 Pine Bank Court Fort Wayne, IN 46845-1840

Description : A new concrete seawall will be constructed across 50' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. In addition, a 1 foot wide layer of glacial stone will be placed at the base of the new seawall for toe protection. Details of the project are contained in information and

plans received at the Division of Water on June 8, 2007.

Location : 400 Lane 470 A

near Nevada Mills, Jamestown Township, Steuben County

SE1/4, NW1/4, SW1/4, Section 33, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4618791 North, 662717 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20766

Lake : Lake James

Applicant : David Baker

12017 Orchard Place

Fort Wayne, IN 46845-6909

Description : A new concrete seawall will be constructed across 130' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. In addition, a 1 foot wide layer of glacial stone will be placed at the base of the new seawall for toe protection. Details of the project are contained in

information and plans received at the Division of Water on June 8, 2007.

Location : 360 and 380 Lane 470 A

near Nevada Mills, Jamestown Township, Steuben County

SE¼, NW¼, SW¼, Section 33, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4618764 North, 662708 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20767

Lake : Sylvan Lake

Applicant : Jerry Busche

PO Box 177

Albion, IN 46701-0177

Description : A 96' x 25' underwater beach will be constructed across 96' of the applicant's 140'

frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water

on June 8, 2007.

Location : 234 Spring Beach Road; Lots 1 and 2 of East Spring Beach Addition

near Rome City, Orange Township, Noble County

NE¼, SE¼, SE¼, Section 9, T 35N, R 10E, Kendallville Quadrangle

Quad Code: 4108543

UTM Coordinates: Downstream 4595692 North, 636008 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20768

Lake : Simonton Lake

Applicant : Dana and Nancy Warren

51168 Blue Ribbon Lane Elkhart, IN 46514-8105

Description : A new steel sheet piling seawall will be constructed across 137' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received

at the Division of Water on June 11, 2007.

Location : 51168 Blue Ribbon Lane

near Elkhart, Osolo Township, Elkhart County

SW1/4, NW1/4, NW1/4, Section 15, T 38N, R 5E, Elkhart Quadrangle

Quad Code: 4108568

UTM Coordinates: Downstream 4622622 North, 587742 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20769

Lake : Wall Lake

Applicant : John and Diane Schweizer

3131 Swift Drive

Fort Wayne, IN 46825-3144

Description : An addition to a beach is proposed. Specific project information will be added to

the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on June 8,

2007.

Location : 6060 North 1198 East

near Orland, Greenfield Township, LaGrange County

SE1/4, SE1/4, SE1/4, Section 24, T 38N, R 11E, Orland Quadrangle

Quad Code: 4108562

UTM Coordinates: Downstream 4621473 North, 649959 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

RASR010 11 06/21/2007 10:08 AM

Application # : PL-20772

Lake : Irish Lake

Applicant : GENE FERGUSON

16 EMS B38B LANE

Leesburg, IN 46538-9467

Description : An existing poured in place concrete seawall will be refaced across a portion of

the 49' frontage of the applicant on Irish Lake to prevent deterioration. The refacing will consist of reinforced poured in place concrete which will be tied to the existing wall with 1/2" rerod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on June 18, 2007 and in plans and information received at the

Division of Water on

Location : 16 EMS B38B Lane; Lot 22 3rd Add Lookout Point Revised Sd

near Leesburg, Tippecanoe Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20773

Lake : Lake James

Applicant : Gary Ecenbarger

320 Lane 510 Lake James Fremont, IN 46737-9030

Description : This property has an existing beach. I want to top dress the underwater beach in

front of the property I own on Lake James to provide a cleaner environment. The beach top dressing will consist of a 4 inch to 6 inch thick layer of 7/64 inch clean, washed pea gravel/sand placed directly on the lakebed. The beach is currently approximately 20' west of the eastern property line and extends westerly across 30' of the 112' frontage. It has a maximum lakeward projection of 20' into the lake. Details of the project are contained in information received electronically at the Division of Water on June 18, 2007 and in plans and information received at

the Division of Water on

Location : 320 Lane 510 Lake James

at Fremont, Jamestown Township, Steuben County

SE1/4, NW1/4, Section 33

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20780

Lake : Big Chapman Lake

Applicant : Donald P Rainey

7361 West 100 North

Greenfield, IN 46140-8385

Description

An existing 40'-55' wide channel along the south shore of Big Chapman Lake will be restored to its original condition to improve navigation. Approximately 3'-4' of accumulated muck and debris will be removed from 1000' of channel bed by dredging to a depth of 6' below the lake's legal level. At the western end of the proposed dredging project an existing 24' wide channel will be dredged along 300' of shoreline in an easterly direction starting at a distance of 30' from the shoreline and ending at a distance of 54' from the shoreline. The remaining 700' of original channel will be dredged starting 16' from the shoreline and extending lakeward from 16'-24' to conform to the dimensions of the original channel. The accumulated muck and debris will be removed via a floating hydraulic dredge. The excavated material will be piped to an upland containment area. Adequate detention time will be provided to allow suspended sediments to settle out of the decanted water before returning the water to the lake. Details of the project are contained in information received electronically at the Division of Water on June 21, 2007 and in plans and information received at the Division of Water on

Location

: Along the southwest shore of Big Chapman Lake approximately 200' east of the channel connecting Little Chapman and Big Chapman Lakes and continuing east along the shoreline of Big Chapman lake for approximately 1000'-1100' near Warsaw, Plain Township, Kosciusko County

Section 26, T 33N, R 6E

Statute/Rule

: Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake